X-pand into the Future

eurex circular 077/16

Date: 31 August 2016
Recipients: All Trading Participants of Eurex Deutschland and Eurex Zürich and Vendors
Authorized by: Randolf Roth

Eurex Exchange's T7 Disaster Recovery Test scenario, 15 October 2016

Related Eurex Circulars: 218/13, 007/14

Contact: Technical Key Account Manager via VIP number, cts@deutsche-boerse.com

Content may be most important for:	**Attachment:**
➲ All departments	Disaster Recovery Concept – Interface Configuration Details

Summary:

On Saturday, **15 October 2016**, Eurex will participate in a world-wide disaster recovery (DR) test scenario organized by the Futures Industry Association (FIA). Eurex will offer a test scenario according to Eurex Exchange's T7 disaster recovery concept.

This particular DR scenario simulates an outage of the Equinix data center (FR2) facility in Frankfurt.

Eurex Deutschland
Börsenplatz 4
60313 Frankfurt/Main
Mailing address:
60485 Frankfurt/Main
Germany

T +49-69-211-1 17 00
F +49-69-211-1 17 01
memberservices@
eurexchange.com
Internet:
www.eurexchange.com

Management Board:
Thomas Book, Mehtap
Dinc, Erik Tim Müller,
Michael Peters,
Randolf Roth
ARBN: 101 013 361

Eurex Exchange's T7 Disaster Recovery Test scenario, 15 October 2016

Eurex Exchange's T7 Disaster Recovery Test

On Saturday, 15 October 2016, Eurex will participate in the 2016 Futures Industry Association (FIA) Disaster Recovery Test, offering a test scenario for Eurex Exchange's T7 disaster recovery concept. Please see more details about the 2016 FIA Disaster Recovery Test under the following link:

https://bcp.fia.org/events/2016-fia-disaster-recovery-test

Participation is optional but highly recommended for all Trading Participants to ensure easy transition in case of a real disaster. Participants are recommended to register their participation on the FIA website:

https://secure.fia.org/bcp/test-registration.asp

Xetra will be offering a disaster recovery test on the same day, allowing both Eurex Participants and Xetra Members to test DR connectivity simultaneously.

This particular DR scenario simulates an outage of the entire Equinix data center (FR2) facility in Frankfurt. In such a disaster recovery scenario, Eurex Exchange's T7 infrastructure regularly used for Eurex Exchange's T7 simulation will be re-used to serve as disaster recovery production infrastructure.

During a DR test exercise, production reference data will be used, including User IDs, T7 GUI SSH keys and ETI sessions. Changes done to these reference data will **NOT** be copied back to production after the test. It is not advised to perform any changes to this data during the test exercise.

While order entry, modification and deletion will be possible during the DR test exercise, any order book or trading information created during the DR test exercise will **NOT** be transferred back to production.

The following T7 interfaces will be available during the DR test exercise:

- Eurex T7 Trader- and Admin GUI
- Enhanced Transaction Interface (ETI)
- Eurex Market Data Service (MDI)
- Eurex Enhanced Market Data Service (EMDI)
- Reference Data Interface (RDI)
- Reference Data File (RDF) from production, no intra-day updates during DR test scenario
- Common Report Engine (CRE)

Customers participating in the DR test exercise can expect to receive market data via MDI/EMDI, can read reference data via RDI or download RDF from the CRE. Order and quote entry will be possible via ETI.

The following T7 interfaces will **NOT** be available during the DR test exercise:

- FIX Gateways
- Extended Market Data Service
- Enhanced Order Book Interface
- Eurex Market Signals

The Eurex legacy trading system and Eurex Clearing's C7 will not be participating in the DR test exercise. As a result, some functions will **NOT** be available:

- Eurex Trade Entry Services, TES Underlying price information in the T7 Trader GUI
- FIXML Clearing Interface
- WebTrading GUIs

Please refer to the attached document “Disaster Recovery Concept - Interface Configuration Details” for further details on the test scenario and all required network changes.

The document is also available on the Eurex website www.eurexchange.com under the link:

Technology > Eurex Exchange’s T7 > System documentation > Release 4.0 > Network Access

After the DR test is completed, the regular production environment will be made available for a certain time to allow Eurex Participants to adapt their configurations.

Schedule

Due to the intercontinental participation in the FIA DR test, the DR test window will be in the afternoon for European Participants following this schedule:

Start of DR scenario test	14:00 CET
End of DR scenario test	16:00 CET
Start of production environment re-connect test	17:00 CET
End of production environment re-connect test	18:00 CET

Production environment remains up unattended for the rest of the weekend.

Contacts

If you have any questions or require further information please contact your Technical Key Account Manager using your VIP number or via e-mail to: cts@deutsche-boerse.com.

31 August 2016

Eurex Exchange's T7

Disaster Recovery Concept

Interface Configuration Details

Version	2.0.0
Date	24 August 2016

© Eurex 2016
Deutsche Börse AG (DBAG), Clearstream Banking AG (Clearstream), Eurex Frankfurt AG, Eurex Clearing AG (Eurex Clearing) as well as Eurex Bonds GmbH (Eurex Bonds) and Eurex Repo GmbH (Eurex Repo) are corporate entities and are registered under German law. Eurex Zürich AG is a corporate entity and is registered under Swiss law. Clearstream Banking S.A. is a corporate entity and is registered under Luxembourg law. U.S. Exchange Holdings, Inc. Eurex Frankfurt AG (Eurex) is the administrating and operating institution of Eurex Deutschland. Eurex Deutschland and Eurex Zürich AG are in the following referred to as the "Eurex Exchanges".
All intellectual property, proprietary and other rights and interests in this publication and the subject matter hereof (other than certain trademarks and service marks listed below) are owned by DBAG and its affiliates and subsidiaries including, without limitation, all patent, registered design, copyright, trademark and service mark rights. While reasonable care has been taken in the preparation of this publication to provide details that are accurate and not misleading at the time of publication DBAG, Clearstream, Eurex, Eurex Clearing, Eurex Bonds, Eurex Repo as well as the Eurex Exchanges and their respective servants and agents (a) do not make any representations or warranties regarding the information contained herein, whether express or implied, including without limitation any implied warranty of merchantability or fitness for a particular purpose or any warranty with respect to the accuracy, correctness, quality, completeness or timeliness of such information, and (b) shall not be responsible or liable for any third party's use of any information contained herein under any circumstances, including, without limitation, in connection with actual trading or otherwise or for any errors or omissions contained in this publication.
This publication is published for information purposes only and shall not constitute investment advice respectively does not constitute an offer, solicitation or recommendation to acquire or dispose of any investment or to engage in any other transaction. This publication is not intended for solicitation purposes but only for use as general information. All descriptions, examples and calculations contained in this publication are for illustrative purposes only.
Eurex and Eurex Clearing offer services directly to members of the Eurex exchanges respectively to clearing members of Eurex Clearing. Those who desire to trade any products available on the Eurex market or who desire to offer and sell any such products to others or who desire to possess a clearing license of Eurex Clearing in order to participate in the clearing process provided by Eurex Clearing, should consider legal and regulatory requirements of those jurisdictions relevant to them, as well as the risks associated with such products, before doing so.
Eurex derivatives (other than EURO STOXX 50® Index Futures contracts, EURO STOXX® Select Dividend 30 Index Futures contracts, STOXX® Europe 50 Index Futures contracts, STOXX® Europe 600 Index Futures contracts, STOXX® Europe Large/Mid/Small 200 Index Futures contracts, EURO STOXX® Banks Futures contracts, STOXX® Europe 600 Banks/Industrial Goods & Services/Insurance/Media/Personal & Household Goods/Travel & Leisure/Utilities Futures contracts, Dow Jones Global Titans 50 Index℠ Futures contracts, DAX® Futures contracts, MDAX® Futures contracts, TecDAX® Futures contracts, SMIM® Futures contracts, SLI Swiss Leader Index® Futures contracts, Eurex inflation/commodity/weather/property and interest rate derivatives) are currently not available for offer, sale or trading in the United States or by United States persons.

Trademarks and Service Marks
Buxl®, DAX®, DivDAX®, eb.rexx®, Eurex®, Eurex Bonds®, Eurex Repo®, Eurex Strategy Wizard℠, Euro GC Pooling®, FDAX®, FWB®, GC Pooling®,;GCPI®, MDAX®, ODAX®, SDAX®, TecDAX®, USD GC Pooling®, VDAX®, VDAX-NEW® and Xetra® are registered trademarks of DBAG. Phelix Base® and Phelix Peak® are registered trademarks of European Energy Exchange AG (EEX). The service marks MSCI Russia and MSCI Japan are the exclusive property of MSCI Barra. iTraxx® is a registered trademark of International Index Company Limited (IIC) and has been licensed for the use by Eurex. IIC does not approve, endorse or recommend Eurex or iTraxx® Europe 5-year Index Futures, iTraxx® Europe HiVol 5-year Index Futures and iTraxx® Europe Crossover 5-year Index Futures. Eurex is solely responsible for the creation of the Eurex iTraxx® Credit Futures contracts, their trading and market surveillance. ISDA® neither sponsors nor endorses the product's use. ISDA® is a registered trademark of the International Swaps and Derivatives Association, Inc. IPD UK Annual All Property Index is a registered trademark of Investment Property Databank Ltd. IPD and has been licensed for the use by Eurex for derivatives. SLI®, SMI® and SMIM® are registered trademarks of SIX Swiss Exchange AG. The STOXX® indexes, the data included therein and the trademarks used in the index names are the intellectual property of STOXX Limited and/or its licensors Eurex derivatives based on the STOXX® indexes are in no way sponsored, endorsed, sold or promoted by STOXX and its licensors and neither STOXX nor its licensors shall have any liability with respect thereto. Dow Jones, Dow Jones Global Titans 50 Index℠ and Dow Jones Sector Titans Indexes℠ are service marks of Dow Jones & Company, Inc. Dow Jones-UBS Commodity Index℠ and any related sub-indexes are service marks of Dow Jones & Company, Inc. and UBS AG. All derivatives based on these indexes are not sponsored, endorsed, sold or promoted by Dow Jones & Company, Inc. or UBS AG, and neither party makes any representation regarding the advisability of trading or of investing in such products. All references to London Gold and Silver Fixing prices are used with the permission of The London Gold Market Fixing Limited as well as The London Silver Market Fixing Limited, which for the avoidance of doubt has no involvement with and accepts no responsibility whatsoever for the underlying product to which the Fixing prices may be referenced. PCS® and Property Claim Services® are registered trademarks of ISO Services, Inc. Korea Exchange, KRX, KOSPI and KOSPI 200 are registered trademarks of Korea Exchange Inc. BSE and SENSEX are trademarks/service marks of Bombay Stock Exchange (BSE) and all rights accruing from the same, statutory or otherwise, wholly vest with BSE. Any violation of the above would constitute an offence under the laws of India and international treaties governing the same. The names of other companies and third party products may be trademarks or service marks of their respective owners.

Content

1. Disaster recovery scenario 4

2. General considerations 6

2.1 Functional 6

2.2 Network 6

3. Disaster recovery test scope 7

4. Disaster recovery network details 8

5. Change log 11

Abstract

This document describes the general disaster recovery concept of Eurex Exchange's T7. All required IP addresses, multicast addresses and TCP/IP ports to be used for various interfaces in a DR scenario are listed.

1. Disaster recovery scenario

The following description is relevant for installations connecting via redundant line WAN connection (Ethernet, E1/T1) outside of the Equinix data center[1]. Customer installations inside Equinix are considered to be defunct in a disaster recovery (DR) scenario which results in a complete outage of the Equinix data center.

A total of three types of customer installations have to be considered for the Eurex T7 DR scenario:

- Customer installations in Equinix data center
- Customer installations connecting to the Frankfurt Access Point (customers in Germany)
- Customer installations connecting to remote Access Points (London, Paris, Amsterdam, Zurich, Chicago, etc.)




Figure 1, three location options for Eurex connectivity

Figure 1 depicts all three types of customer installations and their redundant connectivity to the Eurex production back end.

[1] Combined/iAccess is available in Hausen1 and Equinix, so it depends where the participant's tunnel is terminated as to whether he will still have connection. Tunnels in Equinix do not automatically move to Hau1.

Figure 2 displays the result of a DR scenario which renders the whole facility of Equinix data center FR2 in Frankfurt Kruppstrasse inaccessible.




Figure 2, Disaster recovery scenario

In such a scenario customer installations connecting to remote access points (i.e. London, Paris, Amsterdam, Chicago, etc.) will continue to use both leased lines connecting them to the local access point. The local access point continues to use back bones lines to Frankfurt which are terminating in the DR data center.

Customer installations connecting to the Frankfurt access point will be able to continue to use a single leased line connecting to the access point half located in the DR data center.

Customer installations within the Equinix data center (FR2) are considered to be non functional in this DR scenario.

2. General considerations

In a disaster recovery scenario the Eurex T7 infrastructure regularly used for Eurex T7 simulation will be re-used to serve as disaster recovery production infrastructure.

The switch of the back end and the transfer of reference data will not be instantaneous, but is expected to take up to four hours.

While most Eurex T7 interfaces will be available in the disaster recovery scenario a number of conceptual differences to regular production exist and have to be accounted for.

2.1 Functional

- Order books will be empty after switch to the DR environment.
- All keys and sequence numbers are reset and starting from 1 again.
- Trades of the current business day will not be transferred to T7 DR System (but can still be inquired from the Eurex Clearing system).
- Only two partitions are running in the DR scenario (compared to ten partitions in the regular production environment).
- The original RDF file from the production environment for that day has to be used as initial RDF file. Further intra day updates will be published by the DR back end onto the Common Report Engine as usual into directory for environment 90 (prod).
- Eurex Extended Market Data Service will distribute ticker data, settlement prices and OTC market data provided the availability of the Eurex classic back end on regular IP production addresses.
- ETI sessions will have a throttle limit of 30 transactions per second in a DR scenario.

2.2 Network

- User IDs, ETI and FIX sessions will be used from production.
- All TCP and UDP Ports will be the same as for normal production.
- All Eurex A Stream MDI/EMDI/RDI multicast groups will be the same as for normal production.
- Eurex A Stream Rendezvous Point (RP) will be the same as for normal production.
- Eurex MDI/EMDI/RDI Source IP addresses will differ from regular production!
- Eurex ETI/Connection Gateway Subnets will differ from regular production!
- Eurex FIX Gateway A Side Subnet will be the same as for normal production.
- Eurex CRE A Side Subnet will be the same as for normal production.

See chapter 4 for full network details.

3. Disaster recovery test scope

Disaster recovery test exercises will be performed on weekends. Participation is optional but highly recommended for all trading and clearing participants to ensure easy transition in case of a real disaster.

Please note, this chapter describes the availability of interfaces during a test exercise. During the test exercise most, but not all interfaces are in scope of the test.

During a DR test exercise production reference data will be used, including User IDs, T7 GUI SSH keys and ETI & FIX sessions. Changes done to these reference data will not be copied back to production after the test. It is not advised to perform any changes to this data during the test exercise.

Order and quote entry will be possible via ETI (FIX only order entry).

Any order book or trading information created during the DR test exercise will not be transferred back to production.

The following Eurex Exchange's T7 interfaces will be available during the DR test exercise:

- Eurex T7 Trading- and Admin GUI
- Enhanced Transaction Solution (ETI)
- Eurex Market Data Service (MDI)
- Eurex Enhanced Market Data Service (EMDI)
- Reference Data Interface (RDI)
- Reference Data File (RDF) from production, no intra day updates during DR test scenario
- Common Report Engine (CRE)

Customers participating in the DR test exercise can expect to receive market data via MDI/EMDI, can read reference data via RDI or download RDF from the CRE.

The following Eurex Exchange's T7 interfaces will not be available during the DR test exercise:

- FIX Gateways
- Extended Market Data Service
- Enhanced Order Book Interface
- Eurex Market Signals

The Eurex legacy trading system and the Clearing system C7 are not participating in the DR test exercise. As a result some functions will not be available:

- Eurex Trade Entry Service, TES
- Underlying price information in the T7 trader GUI
- FIXML clearing interface
- WebTrading GUIs

4. Disaster recovery network details

Due to the nature of the distributed Eurex T7 architecture, different interfaces will be configured in varying ways.

Eurex T7 interfaces whose production infrastructure is solely located in the Equinix data center FR2 will switch to the simulation infrastructure and need to be accessed via simulation network addresses.

Other Eurex T7 interfaces whose production infrastructure is distributed across both data centers will be able to continue to use the existing production infrastructure in the DR data center.

In some cases further changes need to be done by Eurex for example to re-balance the number of ETI HF gateways with the number of ETI LF gateways, according to different requirements by a DR scenario compared to regular simulation.

The following table summarizes configuration details for all interfaces possibly affected in a disaster recovery scenario including those interfaces which are not part of the DR test exercises.

Interface	Connection option	URL / IP addresses		Ports	Protocol
GUI Landingpage	Internet	http://webgui.eurexchange.com/emergency/index.html		80	TCP/IP
	Leased line	http://193.29.93.173/emergency/index.html		80 / 8089	TCP/IP
		http://webgui.vpn.eurexchange.com/emergency/fqdn.html			
Java WebStart	Internet	193.29.90.190	n/a	80 / (443)	TCP/IP
	Leased line	193.29.93.173	193.29.93.160/28	80 / (443)	TCP/IP
GUI (Crypto)Proxies	Internet	193.29.90.235	193.29.90.224/27	80	TCP/IP
		192.29.90.236			
	Leased line - side A	193.29.89.225	193.29.89.224/28	80 / 8089	TCP/IP
	Leased line - side B	193.29.95.225	193.29.95.224/28		
Eurex ETI	**Gateway type**	**IP subnets Side A**	**Side B**	**Ports**	**Protocol**
	HF trading gateways	193.29.89.129, 192.29.89.130	193.29.89.161, 193.29.89.162	19006	TCP/IP
	LF trading gateways	193.29.89.65, 193.29.89.66, 193.29.89.67, 193.29.89.68	193.29.89.97, 193.29.89.98, 193.29.89.99, 193.29.89.100		
	Connection gateways	193.29.89.65	193.29.89.97	19008	TCP/IP
Eurex FIX Gateway	**Connection option**	**IP addresses**	**IP subnets**	**Ports**	**Protocol**
	Leased line - side A	90.150.253.31	90.150.253.0/24	Individually assigned	TCP/IP

Table 1, Network details in DR scenario, part 1/3

Eurex MDI	**Description**	**Multicast groups Service A**	**Ports**	
			US-allowed products	**US-restricted products**
	Multicast groups	224.0.50.64 - 74	59000	59032
	Source networks	193.29.89.192/28	-	-
	Rendezvous point Service A only	193.29.91.252/32	-	-
	Technical heartbeat Service A only	-	59086	-
Eurex EMDI	**Description**	**Multicast groups Service A**	**Ports**	
			US-allowed products	**US-restricted products**
	Multicast groups	224.0.50.2 - 63	Snapshot: 59000 Incremental: 59001	Snapshot: 59032 Incremental: 59033
	Source networks	193.29.89.0/27	-	
Eurex RDI	**Description**	**Multicast groups Service A**	**Ports**	
	Multicast groups Snapshot data	224.0.50.0	59098	
	Multicast groups Incremental data	224.0.50.1	59099	
	Source networks	193.29.89.192/28	-	
Common Report Engine	**Connection option**	**Gateway IP addresses**	**IP subnets**	**Ports**
				Public / **Particip.**
	Internet	193.29.90.129	n/a	2221 / 2222
	Leased line - side A	193.29.90.65	193.29.90.64/27	
Eurex EOBI	**Connection option**	**IP addresses**	**IP subnets**	**Ports** / **Protocol**
	not available	none	none	none / -

Table 2, Network details in DR scenario, part 2/3

	Description	Multicast groups Service A	Ports	
			US-allowed products	US-restricted products
Eurex Market Signals	Reference Data	224.0.114.1	59000	-
	Eurex IOC liquidity Indicator for Options	224.0.114.128	59001	59033
	Intraday Volatility Forecast	224.0.114.132	59001	59033
	Risk Alerts	224.0.114.134	59001	59033
	Source networks	193.29.89.0/27	-	

	Description	Multicast groups Service A	Ports	
			US-allowed products	US-restricted products
Eurex Extended Market Data Service (EMDS)	Multicast group: Ticket Feed	224.0.50.75	59000 Replay: 59001	59032 Replay: 59033
	Multicast group: Eurex Off-book trade prices	224.0.50.76		
	Multicast group: Settlement prices	224.0.50.77		
	Multicast group: Intraday open interest data	224.0.50.78		
	Multicast group: on-exchange trade prices	224.0.50.79	Replay only: 59001	Replay only: 59033
	<Reserved for future usage>	224.0.29.64 - 71	-	
	Source networks	193.29.89.192 / 28	-	

	Description	Mutlicast groups service A	Ports
Eurex RDI	Multicast groups Snapshot data	224.0.50.0	59098
	Multicast groups Incremental data	224.0.50.1	59099
	Source networks	193.29.89.192 / 28	-

	Connection option	Gateway IP address	IP subnets	Ports	
				Public	Particip.
Common Report Engine	Internet	193.29.90.129	n/a	2221	2222
	Leased line - side A	193.29.90.65	193.29.90.64 / 27		

Table 3, Network details in DR scenario, part 3/3

5. Change log

The change log describes on a higher level, what changed in the latest version of the document over older versions.

No	Chapter, page	Date	Change
1.0.0		27 Sept 2013	Initial version the Eurex Exchange's T7 Disaster Recovery Concept
2.0.0	All	24 August 2016	Added EOBI, EMDS and Eurex Market Signals