

Deutsche Börse Group's T7

Enhanced Order Drop Copy Interface

Derivatives Message Reference

Release 14.1

EDCI Version	14.1
EDCI Subversion	D0001
Build Version	141.420.0.ga-141004020-19
Date	19 February 2026

Disclaimer

© Deutsche Börse Group 2026

This content is for informational purposes only. None of the information constitutes investment advice or an offer to sell or the solicitation of an offer to buy any contract, share or other financial instrument. This content is only for use as general information and all descriptions, examples and calculations contained are for illustrative purposes only.

Deutsche Börse AG, Frankfurter Wertpapierbörse (FWB®, the Frankfurt Stock Exchange), Eurex Frankfurt AG, Eurex Deutschland and Eurex Clearing AG do not represent that the information in this publication is comprehensive, complete or accurate and exclude liability for any consequence resulting from acting upon the contents of this or another publication, in so far as no willful violation of obligations took place or, as the case may be, no injury to life, health or body arises or claims resulting from the Product Liability Act are affected.

Securities traded on the Frankfurt Stock Exchange and Eurex derivatives (other than EURO STOXX 50® Index Futures contracts, EURO STOXX® Select Dividend 30 Index Futures contracts, STOXX® Europe 50 Index Futures contracts, STOXX® Europe 600 Index Futures contracts, STOXX® Europe Large/Mid/Small 200 Index Futures contracts, EURO STOXX® Banks Sector Futures contracts, STOXX® Europe 600 Banks/Industrial Goods & Services/Insurance/Media/Personal & Household Goods/Travel & Leisure/Utilities Futures contracts, DAX® Futures contracts, MDAX® Futures contracts, TecDAX® Futures contracts, SMIM® Futures contracts, SLI Swiss Leader Index® Futures contracts, Eurex inflation/commodity/weather/property and interest rate derivatives) are currently not available for offer, sale or trading in the United States nor may they be offered, sold or traded by persons to whom US tax laws apply.

The fund shares listed in XTF Exchange Traded Funds® are admitted for trading on the Frankfurt Stock Exchange. Users of this information service who legally reside outside Germany are herewith advised that sale of the fund shares listed in XTF Exchange Traded Funds may not be permitted in their country of residence. The user makes use of the information at their own risk.

Legal validity of this disclaimer

In the event that individual parts of or formulations contained in this text are not, or are no longer, legally valid (either in whole or in part), the content and validity of the remaining parts of the document are not affected.

Trademarks

The names and designations listed under www.deutsche-boerse.com/disclaimer are registered trademarks of Deutsche Börse AG or an affiliate of Deutsche Börse Group.

The names and trademarks listed there do not represent a complete list and, as well as all other trademarks and protected rights mentioned in this publication, are subject unreservedly to the applicable trademark law in each case and are not permitted to be used without the express permission of the registered owner. The simple fact that this publication mentions them does not imply that trademarks are not protected by the rights of third parties.

Information on trademarks of Stoxx Ltd. and ISS STOXX Index GmbH are available under www.stoxx.com/trademarks.

EEX® is a registered trademark of European Energy Exchange AG.

TRADEGATE® is a registered trademark of Tradegate AG Wertpapierhandelsbank.

Flexible is better.® is a registered trademark of Axioma, Inc.

Contents

1	List of Abbreviations	3
2	Introduction	4
3	Message Formats	5
3.1	Message Fragmentation	5
3.2	Data Types	6
4	Overview of Supported Message Types	8
4.1	Session Layer	8
4.2	Order Handling	8
5	Session Layer	9
5.1	Session Logon	9
5.2	Session Logon Response	11
5.3	Heartbeat	13
5.4	Heartbeat Notification	14
5.5	Session Logout	15
5.6	Session Logout Response	16
5.7	Reject	17
5.8	Session Logout Notification	19
5.9	Session List Notification	20
5.10	Partition List Notification	21
6	Order Handling	22
6.1	Trading Session Event	22
6.2	Extended Order Information	24
6.3	Order (Mass) Cancellation Notification	32
A	Appendix	33
A.1	XML Interface Description	33
B	Change Log	34
B.1	T7 Release 14.1 – Version 1 (EDCI 14.1-D0001)	34

Contents

1 List of Abbreviations

Please find a list of all the abbreviations used in the document. The first time an abbreviation is introduced in the document it is written in brackets after the phrase.

EDCI	Enhanced Drop Copy Interface
OCO	One Cancels the Other (order)
SMP	Self Match Prevention
XML	eXtensible Markup Language
XSD	XML Schema Definition

2 Introduction

The T7 Enhanced Drop Copy Interface (EDCI) is a service for both Trading participants and Clearing members providing order information.

Clearing members will be able to monitor the order book activity of their Non-clearing members (NCMs) in real time, allowing them to react pro-actively before risk positions accumulate. This offering complements the existing Trade Drop Copy service offered to the clearing members.

Trading participants will have access to a comprehensive overview of all order activities impacting the order book, including the lean orders.

The purpose of this document is to provide all message formats for the derivatives market part of EDCI.

The chapter [Message Formats](#) provides the detailed message formats and fields. An introduction to the [XML Interface Description](#) and important message flows are provided in the appendix.

In addition to this document a corresponding XML representation and the schema files are published.

3 Message Formats

The following chapters provide details on the administrative and application messages used by EDCI. Additionally, information on data types is provided.

The Interface version used by the participant needs to be provided during [Logon](#) in *DefaultCstmApp/VerID (1408)*; the corresponding response message will return the Interface Version, which the EDC Gateway currently uses, in the same field.

The Interface Version will allow the participant to recognize that EDCI has changed. The Build Number shows to which EDCI XML file, EDCI XSD file, exchange software the EDCI message reference belongs to.

3.1 Message Fragmentation

In case the complete data of a transaction does not fit into a single message, EDCI automatically sends a sequence of messages to the participant.

The field *LastFragment (893)* in the corresponding header structure indicates whether the current message is the last fragment (part) of a sequence of messages belonging to one dedicated transaction or if the application should wait for further messages in order to retrieve the full data set.

3.2 Data Types

EDCI supports the following data types:

EDCI Data Type	Description	No Value
signed int	Little endian byte order. Supported are 1, 2, 4 and 8-byte, signed integers two's complement representation.	1 byte signed int: 0x80 2 byte signed int: 0x8000 4 byte signed int: 0x80000000 8 byte signed int: 0x8000000000000000
unsigned int	Little endian byte order. Supported are 1, 2, 4 and 8-byte, unsigned integers.	1 byte unsigned int: 0xFF 2 byte unsigned int: 0xFFFF 4 byte unsigned int: 0xFFFFFFFF 8 byte unsigned int: 0xFFFFFFFFFFFFFFFF
Fixed String	Length information specifies the fixed size. Encoded as character array. Completely filled with valid characters (space padding if required).	0x00 at the first position
Fixed String (0- terminable)	Length information specifies the fixed size. Encoded as character array optionally 0-terminable (minimum string size of 1). XML file: attribute "isTerminable" is set to true. Padding after 0-terminator required up to fixed size.	0x00 at the first position
Variable String	Length information specifies the maximum possible size. Separate counter field specifies the transmitted string size. XML file: attribute "variableSize" set to true. The message is filled up to a multiple of 8 bytes and truncated.	0x00 at the first position (if the field is not the last one of a certain message) OR the related counter field specifying the transmitted string size is set to 0.

EDCI Data Type	Description	No Value
Counter	This data type represents an unsigned integer as a counter for arrays of variable size.	see 1 byte unsigned int and 2 byte unsigned int respectively
LocalMktDate	Date of Local Market (as opposed to UTC) in YYYYMMDD 4 byte unsigned binary format. Example: date 10.09.2014 is represented by a 4 byte unsigned integer number 20140910.	see 4 byte unsigned int
PriceType	Price in integer format including 8 decimals. For certain asset classes, prices may have negative values.	see 8 byte signed int
Qty	Quantity in integer format including 4 decimals.	see 8 byte signed int
UTCTimestamp	Date and time, in UTC, represented as nanoseconds past the UNIX epoch (00:00:00 UTC on 1 January 1970).	see 8 byte unsigned int
char	String of length 1.	0x00

4 Overview of Supported Message Types

The following message formats are based on:

- Interface Version: 14.1
- Build Number: 141.420.0.ga-141004020-19

Additionally, EDCI clients implementing interface versions '14.0' will be supported. Please refer to chapter Change Log for details regarding interface changes between the EDCI versions '14.0' and '14.1'.

4.1 Session Layer

EDCI Message	Sender	FIX Message	MsgType (35)
Session Logon	Participant	Logon	A
Session Logon Response	EDC Gateway	Logon	A
Heartbeat	Participant	Heartbeat	0
Heartbeat Notification	EDC Gateway	Heartbeat	0
Session Logout	Participant	Logout	5
Session Logout Response	EDC Gateway	Logout	5
Reject	EDC Gateway	Reject	3
Session Logout Notification	EDC Gateway	Logout	5
Session List Notification	EDC Gateway	SessionDetailsListResponse	U6
Partition List Notification	EDC Gateway	PartitionListReport	U10


4.2 Order Handling

EDCI Message	Sender	FIX Message	MsgType (35)
Trading Session Event	EDC Gateway	TradingSessionStatus	h
Extended Order Information	EDC Gateway	ExecutionReport	8
Order (Mass) Cancellation Notification	EDC Gateway	OrderMassActionReport	BZ

5 Session Layer

5.1 Session Logon

This message must be the first message sent by the participant to the assigned gateway authenticating the T7 EDC session. Password change is not supported.



Tag	Field Name	Req'd	Len	Ofs	Data Type	Description
<MessageHeaderIn>						
9	BodyLen	Y	4	0	unsigned int	Number of bytes for the message, including this field.
28500	TemplatID	Y	2	4	unsigned int	Unique identifier for a T7 EDCI message layout. Value: 10000 (Logon, MsgType = A)

Tag	Field Name	Req'd	Len	Ofs	Data Type	Description
39020	Pad2	U	2	6	Fixed String	not used
<i><RequestHeader></i>						
34	MsgSeqNum	Y	4	8	unsigned int	Message sequence number used by the participant for requests sent to the gateway. Must be set to 1.
39040	Pad4	U	4	12	Fixed String	not used
<i><MessageBody></i>						
108	HeartBtInt	N	4	16	unsigned int	Heartbeat interval (milliseconds). If heartbeat Interval equal 0, gateway will not take any action for skipped heartbeats (only allowed for non-production environments) not set: gateway will define interval.
20055	PartyIDSessionID	Y	4	20	unsigned int	Session ID.
1408	DefaultCstmAppVer-ID	Y	30	24	Fixed String (0-terminable)	Indicates the EDC interface version the participant application uses (see front page). Valid characters: \x20, \x22-\x7B, \x7D, \x7E
554	Password	Y	32	54	Fixed String (0-terminable)	Password. Valid characters: 0-9, A-Z, a-z, \x21, \x23, \x24, \x25, \x26, \x2A, \x2B, \x2D, \x2F, \x3D, \x40, \x5F
39020	Pad2	U	2	86	Fixed String	not used

5.2 Session Logon Response

This message confirms the Session Logon request.

Tag	Field Name	Req'd	Len	Ofs	Data Type	Description								
<i><MessageHeaderOut></i>														
9	BodyLen	Y	4	0	unsigned int	Number of bytes for the message, including this field.								
28500	TemplatID	Y	2	4	unsigned int	Unique identifier for a T7 EDCI message layout. Value: 10001 (Logon, MsgType = A)								
39020	Pad2	U	2	6	Fixed String	not used								
<i><ResponseHeader></i>														
5979	RequestTime	Y	8	8	UTCTimestamp	Gateway request in timestamp.								
52	SendingTime	Y	8	16	UTCTimestamp	Outgoing timestamp; filled always by the gateway.								
34	MsgSeqNum	Y	4	24	unsigned int	Message sequence number used by the participant for requests sent to the gateway.								
893	LastFragment	Y	1	28	unsigned int	Indicates whether this message is the last fragment (part) of a sequence of messages belonging to one dedicated transaction. <table border="1" data-bbox="991 1211 1409 1339"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Not Last Message</td> </tr> <tr> <td>1</td> <td>Last Message</td> </tr> </tbody> </table>	Value	Description	0	Not Last Message	1	Last Message		
Value	Description													
0	Not Last Message													
1	Last Message													
39030	Pad3	U	3	29	Fixed String	not used								
<i><MessageBody></i>														
108	HeartBtInt	Y	4	32	unsigned int	Actual heartbeat interval (in milliseconds), gateway overrides out of range value or sets to default if logon omits the field.								
25004	SessionInstancelD	Y	4	36	unsigned int	Session ID.								
1301	MarketID	Y	2	40	unsigned int	Market ID. <table border="1" data-bbox="991 1693 1409 1861"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>XEUR</td> </tr> <tr> <td>2</td> <td>XEEE</td> </tr> <tr> <td>*</td> <td>More values</td> </tr> </tbody> </table>	Value	Description	1	XEUR	2	XEEE	*	More values
Value	Description													
1	XEUR													
2	XEEE													
*	More values													

Tag	Field Name	Req'd	Len	Ofs	Data Type	Description												
339	TradSesMode	Y	1	42	unsigned int	Trading Session Mode <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Development</td> </tr> <tr> <td>2</td> <td>Simulation</td> </tr> <tr> <td>3</td> <td>Production</td> </tr> <tr> <td>4</td> <td>Acceptance</td> </tr> <tr> <td>5</td> <td>Disaster Recovery</td> </tr> </tbody> </table>	Value	Description	1	Development	2	Simulation	3	Production	4	Acceptance	5	Disaster Recovery
Value	Description																	
1	Development																	
2	Simulation																	
3	Production																	
4	Acceptance																	
5	Disaster Recovery																	
1408	DefaultCstmAppVer-ID	Y	30	43	Fixed String (0-terminable)	The default custom application version ID that is the default for a session. Valid characters: \x20, \x22-\x7B, \x7D, \x7E												
28763	DefaultCstmAppVer-SubID	Y	5	73	Fixed String	EDCI subversion. Identifies EDCI changes within one EDCI version. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>D0001</td> <td>Derivatives subversion</td> </tr> </tbody> </table>	Value	Description	D0001	Derivatives subversion								
Value	Description																	
D0001	Derivatives subversion																	
39020	Pad2	U	2	78	Fixed String	not used												

5.3 Heartbeat

The Heartbeat message is used by the T7 EDC gateway to monitor the status of the communication link to the EDC client during periods of inactivity.

Tag	Field Name	Req'd	Len	Ofs	Data Type	Description
<MessageHeaderIn>						
9	BodyLen	Y	4	0	unsigned int	Number of bytes for the message, including this field.
28500	TemplateID	Y	2	4	unsigned int	Unique identifier for a T7 EDCl message layout. Value: 10011 (Heartbeat, MsgType = 0)
39020	Pad2	U	2	6	Fixed String	not used


5.4 Heartbeat Notification

The Heartbeat notification may be used by the EDC client to monitor the status of the communication link to the T7 EDC gateway during periods of inactivity.

Tag	Field Name	Req'd	Len	Ofs	Data Type	Description
<i><MessageHeaderOut></i>						
9	BodyLen	Y	4	0	unsigned int	Number of bytes for the message, including this field.
28500	TemplateID	Y	2	4	unsigned int	Unique identifier for a T7 EDCl message layout. Value: 10023 (Heartbeat, MsgType = 0)
39020	Pad2	U	2	6	Fixed String	not used
<i><NotifHeader></i>						
52	SendingTime	Y	8	8	UTCTimestamp	Outgoing timestamp; filled always by the gateway.

5.5 Session Logout

Session Logout request.



Tag	Field Name	Req'd	Len	Ofs	Data Type	Description
<i><MessageHeaderIn></i>						
9	BodyLen	Y	4	0	unsigned int	Number of bytes for the message, including this field.
28500	TemplatID	Y	2	4	unsigned int	Unique identifier for a T7 EDCI message layout. Value: 10002 (Logout, MsgType = 5)
39020	Pad2	U	2	6	Fixed String	not used
<i><RequestHeader></i>						
34	MsgSeqNum	Y	4	8	unsigned int	Message sequence number used by the participant for requests sent to the gateway.
39040	Pad4	U	4	12	Fixed String	not used

5.6 Session Logout Response

This message confirms the Session Logout request.

Tag	Field Name	Req'd	Len	Ofs	Data Type	Description						
<i><MessageHeaderOut></i>												
9	BodyLen	Y	4	0	unsigned int	Number of bytes for the message, including this field.						
28500	TemplatID	Y	2	4	unsigned int	Unique identifier for a T7 EDCI message layout. Value: 10003 (Logout, MsgType = 5)						
39020	Pad2	U	2	6	Fixed String	not used						
<i><ResponseHeader></i>												
5979	RequestTime	Y	8	8	UTCTimestamp	Gateway request in timestamp.						
52	SendingTime	Y	8	16	UTCTimestamp	Outgoing timestamp; filled always by the gateway.						
34	MsgSeqNum	Y	4	24	unsigned int	Message sequence number used by the participant for requests sent to the gateway.						
893	LastFragment	Y	1	28	unsigned int	Indicates whether this message is the last fragment (part) of a sequence of messages belonging to one dedicated transaction. <table border="1" data-bbox="991 1211 1409 1335"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Not Last Message</td> </tr> <tr> <td>1</td> <td>Last Message</td> </tr> </tbody> </table>	Value	Description	0	Not Last Message	1	Last Message
Value	Description											
0	Not Last Message											
1	Last Message											
39030	Pad3	U	3	29	Fixed String	not used						

5.7 Reject

All rejections and errors on an application and session level are communicated via the FIX standard Reject (3) message.

Tag	Field Name	Req'd	Len	Ofs	Data Type	Description						
<i><MessageHeaderOut></i>												
9	BodyLen	Y	4	0	unsigned int	Number of bytes for the message, including this field.						
28500	TemplatelD	Y	2	4	unsigned int	Unique identifier for a T7 EDCl message layout. Value: 10010 (Reject, MsgType = 3)						
39020	Pad2	U	2	6	Fixed String	not used						
<i><ResponseHeader></i>												
5979	RequestTime	Y	8	8	UTCTimestamp	Gateway request in timestamp.						
52	SendingTime	Y	8	16	UTCTimestamp	Outgoing timestamp; filled always by the gateway.						
34	MsgSeqNum	Y	4	24	unsigned int	Message sequence number used by the participant for requests sent to the gateway.						
893	LastFragment	Y	1	28	unsigned int	Indicates whether this message is the last fragment (part) of a sequence of messages belonging to one dedicated transaction. <table border="1" data-bbox="991 1249 1409 1375"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Not Last Message</td> </tr> <tr> <td>1</td> <td>Last Message</td> </tr> </tbody> </table>	Value	Description	0	Not Last Message	1	Last Message
Value	Description											
0	Not Last Message											
1	Last Message											
39030	Pad3	U	3	29	Fixed String	not used						
<i><MessageBody></i>												

Tag	Field Name	Req'd	Len	Ofs	Data Type	Description																																		
373	SessionRejectReason	Y	4	32	unsigned int	Code to identify reason for a session-level Reject message. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Required Tag Missing</td> </tr> <tr> <td>5</td> <td>Value is incorrect (out of range) for this tag</td> </tr> <tr> <td>7</td> <td>Decoding problem</td> </tr> <tr> <td>11</td> <td>Invalid TemplateID</td> </tr> <tr> <td>16</td> <td>Incorrect NumInGroup count for repeating group</td> </tr> <tr> <td>99</td> <td>Other</td> </tr> <tr> <td>101</td> <td>Stale request was not forwarded to T7</td> </tr> <tr> <td>103</td> <td>Service not available</td> </tr> <tr> <td>105</td> <td>Error converting response or broadcast</td> </tr> <tr> <td>152</td> <td>Heartbeat violation error</td> </tr> <tr> <td>200</td> <td>Internal technical error</td> </tr> <tr> <td>210</td> <td>Validation Error</td> </tr> <tr> <td>217</td> <td>Session login limit (per time interval) reached</td> </tr> <tr> <td>226</td> <td>Limit of outstanding session/user logins reached (per Business Unit)</td> </tr> <tr> <td>227</td> <td>Limit of outstanding session/user logins reached (per Session)</td> </tr> <tr> <td>228</td> <td>Password timestamp not in grace period</td> </tr> </tbody> </table>	Value	Description	1	Required Tag Missing	5	Value is incorrect (out of range) for this tag	7	Decoding problem	11	Invalid TemplateID	16	Incorrect NumInGroup count for repeating group	99	Other	101	Stale request was not forwarded to T7	103	Service not available	105	Error converting response or broadcast	152	Heartbeat violation error	200	Internal technical error	210	Validation Error	217	Session login limit (per time interval) reached	226	Limit of outstanding session/user logins reached (per Business Unit)	227	Limit of outstanding session/user logins reached (per Session)	228	Password timestamp not in grace period
Value	Description																																							
1	Required Tag Missing																																							
5	Value is incorrect (out of range) for this tag																																							
7	Decoding problem																																							
11	Invalid TemplateID																																							
16	Incorrect NumInGroup count for repeating group																																							
99	Other																																							
101	Stale request was not forwarded to T7																																							
103	Service not available																																							
105	Error converting response or broadcast																																							
152	Heartbeat violation error																																							
200	Internal technical error																																							
210	Validation Error																																							
217	Session login limit (per time interval) reached																																							
226	Limit of outstanding session/user logins reached (per Business Unit)																																							
227	Limit of outstanding session/user logins reached (per Session)																																							
228	Password timestamp not in grace period																																							
30354	VarTextLen	Y	2	36	Counter	Number of used bytes for field VarText (30355).																																		
1409	SessionStatus	Y	1	38	unsigned int	Session status. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Session active</td> </tr> <tr> <td>4</td> <td>Session logout complete</td> </tr> </tbody> </table>	Value	Description	0	Session active	4	Session logout complete																												
Value	Description																																							
0	Session active																																							
4	Session logout complete																																							
30355	VarText	Y	2000	39	Variable String	Error text. Valid characters: \x09, \x0A, \x0D, \x20-\x7B, \x7D, \x7E																																		

5.8 Session Logout Notification

The Session Logout Notification message is used to inform about an unsolicited session logout triggered by the operator of the T7 system or by the T7 system itself.

Tag	Field Name	Req'd	Len	Ofs	Data Type	Description
<i><MessageHeaderOut></i>						
9	BodyLen	Y	4	0	unsigned int	Number of bytes for the message, including this field.
28500	TemplateID	Y	2	4	unsigned int	Unique identifier for a T7 EDCl message layout. Value: 10012 (Logout, MsgType = 5)
39020	Pad2	U	2	6	Fixed String	not used
<i><NotifHeader></i>						
52	SendingTime	Y	8	8	UTCTimestamp	Outgoing timestamp; filled always by the gateway.
<i><MessageBody></i>						
30354	VarTextLen	Y	2	16	Counter	Number of used bytes for field VarText (30355).
30355	VarText	Y	2000	18	Variable String	Error text. Valid characters: \x09, \x0A, \x0D, \x20-\x7B, \x7D, \x7E

5.9 Session List Notification

Returns a list of trading sessions the EDCI session can receive data from.

Tag	Field Name	Req'd	Len	Ofs	Data Type	Description										
<i><MessageHeaderOut></i>																
9	BodyLen	Y	4	0	unsigned int	Number of bytes for the message, including this field.										
28500	TemplatID	Y	2	4	unsigned int	Unique identifier for a T7 EDCI message layout. Value: 10036 (SessionDetailsListResponse, MsgType = U6)										
39020	Pad2	U	2	6	Fixed String	not used										
<i><NotifHeader></i>																
52	SendingTime	Y	8	8	UTCTimestamp	Outgoing timestamp; filled always by the gateway.										
<i><MessageBody></i>																
28734	NoSessions	Y	2	16	Counter											
39060	Pad6	U	6	18	Fixed String	not used										
<i><SessionsGrp> Cardinality: 1-1000, Record counter: NoSessions</i>																
20055	>PartyIDSessionID	Y	4	24	unsigned int	Session ID.										
20059	>PartyIDExecuting-Unit	Y	4	28	unsigned int	Business Unit ID.										
20359	>PartyIDSponsored-AccessUnit	N	4	32	unsigned int	Sponsored Access Unit ID.										
28730	>SessionMode	Y	1	36	unsigned int	<table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>ETI HF</td> </tr> <tr> <td>2</td> <td>ETI LF</td> </tr> <tr> <td>3</td> <td>GUI</td> </tr> <tr> <td>4</td> <td>FIX LF</td> </tr> </tbody> </table>	Value	Description	1	ETI HF	2	ETI LF	3	GUI	4	FIX LF
Value	Description															
1	ETI HF															
2	ETI LF															
3	GUI															
4	FIX LF															
22001	>PartyExecutingFirm	Y	5	37	Fixed String	The executing/owning business unit Valid characters: A-Z, 0-9, \x20										
22359	>PartySponsored-AccessUnit	N	30	42	Fixed String	Sponsored Access Unit name. Valid characters: \x01-\x7E										

5.10 Partition List Notification

Returns a list of trading partitions the EDCI session can receive data from.

Tag	Field Name	Req'd	Len	Ofs	Data Type	Description
<i><MessageHeaderOut></i>						
9	BodyLen	Y	4	0	unsigned int	Number of bytes for the message, including this field.
28500	TemplatID	Y	2	4	unsigned int	Unique identifier for a T7 EDCI message layout. Value: 10037 (PartitionListReport, MsgType = U10)
39020	Pad2	U	2	6	Fixed String	not used
<i><NotifHeader></i>						
52	SendingTime	Y	8	8	UTCTimestamp	Outgoing timestamp; filled always by the gateway.
<i><MessageBody></i>						
28735	NoPartitions	Y	1	16	Counter	Specifies the number of partitions in a Partition List Notification.
39070	Pad7	U	7	17	Fixed String	not used
<i><PartitionGrp> Cardinality: 0-100, Record counter: NoPartitions</i>						
5948	>PartitionID	Y	2	24	unsigned int	Grouping of T7 products.
39060	>Pad6	U	6	26	Fixed String	not used

6 Order Handling

6.1 Trading Session Event

This message indicates an order book invalidation. This message is followed by a replay of the recent order book data.

Tag	Field Name	Req'd	Len	Ofs	Data Type	Description						
<i><MessageHeaderOut></i>												
9	BodyLen	Y	4	0	unsigned int	Number of bytes for the message, including this field.						
28500	TemplatID	Y	2	4	unsigned int	Unique identifier for a T7 EDCl message layout. Value: 10903 (TradingSessionStatus, MsgType = h)						
39020	Pad2	U	2	6	Fixed String	not used						
<i><RBCHheader></i>												
52	SendingTime	Y	8	8	UTCTimestamp	Outgoing timestamp; filled always by the gateway.						
20059	PartyIDExecutingUnit	N	4	16	unsigned int	Business Unit ID.						
5948	PartitionID	Y	2	20	unsigned int	Grouping of T7 products.						
1180	ApplID	Y	1	22	unsigned int	Identifier for an EDCl data stream. <table border="1" data-bbox="991 1133 1409 1216"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>12</td> <td>OrderDropCopy Data</td> </tr> </tbody> </table>	Value	Description	12	OrderDropCopy Data		
Value	Description											
12	OrderDropCopy Data											
893	LastFragment	Y	1	23	unsigned int	Indicates whether this message is the last fragment (part) of a sequence of messages belonging to one dedicated transaction. <table border="1" data-bbox="991 1417 1409 1536"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Not Last Message</td> </tr> <tr> <td>1</td> <td>Last Message</td> </tr> </tbody> </table>	Value	Description	0	Not Last Message	1	Last Message
Value	Description											
0	Not Last Message											
1	Last Message											
<i><MessageBody></i>												
75	TradeDate	N	4	24	LocalMktDate	Business date. Set if there is a defined business day for the partition, i.e. the first product assigned to the partition has been set to state 'Start-Of-Day'.						
1300	MarketSegmentID	N	4	28	signed int	Product identifier. Only set if TradSesEvent = 103(End of Restatement)						

Tag	Field Name	Req'd	Len	Ofs	Data Type	Description	
1368	TradSesEvent	Y	1	32	unsigned int	Trading session event type	
						Value	Description
						103	End of Restatement
						104	End of Service
						107	End of Order book synchronization
						108	Start of Order book synchronization
						109	Order book reset
39070	Pad7	U	7	33	Fixed String	not used	

6.2 Extended Order Information

This message format is used to send order book data as snapshot or update message.

Tag	Field Name	Req'd	Len	Ofs	Data Type	Description						
<i><MessageHeaderOut></i>												
9	BodyLen	Y	4	0	unsigned int	Number of bytes for the message, including this field.						
28500	TemplatID	Y	2	4	unsigned int	Unique identifier for a T7 EDCI message layout. Value: 10901 (ExecutionReport, MsgType = 8)						
39020	Pad2	U	2	6	Fixed String	not used						
<i><RBCHeader></i>												
52	SendingTime	Y	8	8	UTCTimestamp	Outgoing timestamp; filled always by the gateway.						
20059	PartyIDExecutingUnit	N	4	16	unsigned int	Business Unit ID.						
5948	PartitionID	Y	2	20	unsigned int	Grouping of T7 products.						
1180	ApplID	Y	1	22	unsigned int	Identifier for an EDCI data stream. <table border="1" data-bbox="991 1010 1409 1095"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>12</td> <td>OrderDropCopy Data</td> </tr> </tbody> </table>	Value	Description	12	OrderDropCopy Data		
Value	Description											
12	OrderDropCopy Data											
893	LastFragment	Y	1	23	unsigned int	Indicates whether this message is the last fragment (part) of a sequence of messages belonging to one dedicated transaction. <table border="1" data-bbox="991 1294 1409 1417"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Not Last Message</td> </tr> <tr> <td>1</td> <td>Last Message</td> </tr> </tbody> </table>	Value	Description	0	Not Last Message	1	Last Message
Value	Description											
0	Not Last Message											
1	Last Message											
<i><MessageBody></i>												
37	OrderID	Y	8	24	unsigned int	Exchange Order ID generated by the T7 System; it remains constant over the lifetime of an order.						
11	ClOrdID	N	8	32	unsigned int	Client Order ID: Unique participant defined order request identifier; used for client order id chaining.						
41	OrigClOrdID	N	8	40	unsigned int	ClOrdID (11) of the last successfully processed task (request) referring to the specific order.						
48	SecurityID	Y	8	48	signed int	Instrument identifier.						
17	ExecID	Y	8	56	UTCTimestamp	Transaction timestamp.						
44	Price	N	8	64	PriceType	Limit price. Required if OrdType (40) is Limit (2) or Stop Limit (4).						

Tag	Field Name	Req'd	Len	Ofs	Data Type	Description
99	StopPx	N	8	72	PriceType	Stop price. Required if OrdType (40) is Stop (3) or used as the trigger price for an One-cancels-the-other order.
151	LeavesQty	Y	8	80	Qty	Remaining quantity of an order.
14	CumQty	Y	8	88	Qty	Cumulated executed quantity of an order.
84	CxlQty	Y	8	96	Qty	Total quantity canceled for this order.
38	OrderQty	Y	8	104	Qty	Total Order Quantity.
20003	PartyIDClientID	N	8	112	unsigned int	MiFID field: Client Identifier field (ESMA Field 3 (Section A)) used to identify the client of an order for agent account of the member or participant of the trading venue. If the Client Identifier field is not provided for agent orders, then they will be rejected. For orders sent with Trading Capacity Proprietary or Market Making, the Client Identifier field may remain empty.
20122	PartyIDInvestment-DecisionMaker	N	8	120	unsigned int	MiFID field: Investment decision within firm (ESMA Field 4 (Section A)) is the code used to identify the person or the algorithm within the member or participant of the Trading Venue who is responsible for the investment decision.
25123	ExecutingTrader	N	8	128	unsigned int	MiFID field: Executing Trader data Field (ESMA Field 5 (Section A)) used to identify the person or algorithm within the member or participant of the trading venue who is responsible for the execution of the transaction resulting from the order.
1300	MarketSegmentID	Y	4	136	signed int	Product identifier.
28744	MatchInstCrossID	N	4	140	unsigned int	Self Match Prevention ID.
432	ExpireDate	N	4	144	LocalMktDate	Date of order expiry. Required if TimeInForce (59) = 6.
20055	PartyIDSessionID	N	4	148	unsigned int	Owning Session ID
20012	PartyIDExecuting-Trader	N	4	152	unsigned int	Owning User ID.

Tag	Field Name	Req'd	Len	Ofs	Data Type	Description																								
1227	ProductComplex	Y	1	156	unsigned int	<p>This field qualifies an instrument type on T7.</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Simple instrument</td> </tr> <tr> <td>2</td> <td>Standard Option Strategy</td> </tr> <tr> <td>3</td> <td>Non-Standard Option Strategy</td> </tr> <tr> <td>4</td> <td>Volatility Strategy</td> </tr> <tr> <td>5</td> <td>Futures Spread</td> </tr> <tr> <td>6</td> <td>Inter-Product Spread</td> </tr> <tr> <td>7</td> <td>Standard Future Strategy</td> </tr> <tr> <td>8</td> <td>Pack and Bundle</td> </tr> <tr> <td>9</td> <td>Strip</td> </tr> <tr> <td>13</td> <td>Non-Standard Volatility Strategy</td> </tr> <tr> <td>14</td> <td>Total Return Future Strategy</td> </tr> </tbody> </table>	Value	Description	1	Simple instrument	2	Standard Option Strategy	3	Non-Standard Option Strategy	4	Volatility Strategy	5	Futures Spread	6	Inter-Product Spread	7	Standard Future Strategy	8	Pack and Bundle	9	Strip	13	Non-Standard Volatility Strategy	14	Total Return Future Strategy
Value	Description																													
1	Simple instrument																													
2	Standard Option Strategy																													
3	Non-Standard Option Strategy																													
4	Volatility Strategy																													
5	Futures Spread																													
6	Inter-Product Spread																													
7	Standard Future Strategy																													
8	Pack and Bundle																													
9	Strip																													
13	Non-Standard Volatility Strategy																													
14	Total Return Future Strategy																													
39	OrdStatus	Y	1	157	char	<p>Conveys the current status of an order.</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>New</td> </tr> <tr> <td>1</td> <td>Partially filled</td> </tr> <tr> <td>2</td> <td>Filled</td> </tr> <tr> <td>4</td> <td>Cancelled</td> </tr> <tr> <td>6</td> <td>Pending Cancel (i.e. result of Order Cancel Request)</td> </tr> <tr> <td>9</td> <td>Suspended</td> </tr> </tbody> </table>	Value	Description	0	New	1	Partially filled	2	Filled	4	Cancelled	6	Pending Cancel (i.e. result of Order Cancel Request)	9	Suspended										
Value	Description																													
0	New																													
1	Partially filled																													
2	Filled																													
4	Cancelled																													
6	Pending Cancel (i.e. result of Order Cancel Request)																													
9	Suspended																													
150	ExecType	Y	1	158	char	<p>The reason why this message was generated.</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>New</td> </tr> <tr> <td>4</td> <td>Cancelled</td> </tr> <tr> <td>5</td> <td>Replaced</td> </tr> <tr> <td>6</td> <td>Pending Cancel (e.g. result of Order Cancel Request)</td> </tr> <tr> <td>9</td> <td>Suspended</td> </tr> <tr> <td>D</td> <td>Restated</td> </tr> <tr> <td>L</td> <td>Triggered</td> </tr> <tr> <td>F</td> <td>Trade</td> </tr> </tbody> </table>	Value	Description	0	New	4	Cancelled	5	Replaced	6	Pending Cancel (e.g. result of Order Cancel Request)	9	Suspended	D	Restated	L	Triggered	F	Trade						
Value	Description																													
0	New																													
4	Cancelled																													
5	Replaced																													
6	Pending Cancel (e.g. result of Order Cancel Request)																													
9	Suspended																													
D	Restated																													
L	Triggered																													
F	Trade																													

Tag	Field Name	Req'd	Len	Ofs	Data Type	Description												
54	Side	Y	1	159	unsigned int	Side of order <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Buy</td> </tr> <tr> <td>2</td> <td>Sell</td> </tr> </tbody> </table>	Value	Description	1	Buy	2	Sell						
Value	Description																	
1	Buy																	
2	Sell																	
40	OrdType	Y	1	160	unsigned int	Order type. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Market</td> </tr> <tr> <td>2</td> <td>Limit</td> </tr> <tr> <td>3</td> <td>Stop</td> </tr> <tr> <td>4</td> <td>Stop Limit</td> </tr> </tbody> </table>	Value	Description	1	Market	2	Limit	3	Stop	4	Stop Limit		
Value	Description																	
1	Market																	
2	Limit																	
3	Stop																	
4	Stop Limit																	
574	MatchType	N	1	161	unsigned int	The point in the matching process at which this trade was matched. The value 3 (reporting from recognized markets) represents trades entered by Market Supervision <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>Auto-match incoming order</td> </tr> <tr> <td>5</td> <td>Cross Auction</td> </tr> <tr> <td>7</td> <td>Call Auction</td> </tr> <tr> <td>11</td> <td>Auto match resting order</td> </tr> <tr> <td>13</td> <td>Liquidity Improvement Cross</td> </tr> </tbody> </table>	Value	Description	4	Auto-match incoming order	5	Cross Auction	7	Call Auction	11	Auto match resting order	13	Liquidity Improvement Cross
Value	Description																	
4	Auto-match incoming order																	
5	Cross Auction																	
7	Call Auction																	
11	Auto match resting order																	
13	Liquidity Improvement Cross																	
1815	TradingCapacity	Y	1	162	unsigned int	This field designates if the trader is acting in the capacity of agent, trading for its own account or acting as a market maker. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Customer (Agency)</td> </tr> <tr> <td>5</td> <td>Principal (Proprietary)</td> </tr> <tr> <td>6</td> <td>Market Maker</td> </tr> </tbody> </table>	Value	Description	1	Customer (Agency)	5	Principal (Proprietary)	6	Market Maker				
Value	Description																	
1	Customer (Agency)																	
5	Principal (Proprietary)																	
6	Market Maker																	

Tag	Field Name	Req'd	Len	Ofs	Data Type	Description												
59	TimelnForce	N	1	163	unsigned int	Execution and trading restriction parameters supported by T7. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Day (GFD)</td> </tr> <tr> <td>1</td> <td>Good Till Cancelled (GTC) - Standard Orders only</td> </tr> <tr> <td>3</td> <td>Immediate or Cancel (IOC)</td> </tr> <tr> <td>4</td> <td>Fill Or Kill (FOK)</td> </tr> <tr> <td>6</td> <td>Good Till Date (GTD) - Standard Orders only</td> </tr> </tbody> </table>	Value	Description	0	Day (GFD)	1	Good Till Cancelled (GTC) - Standard Orders only	3	Immediate or Cancel (IOC)	4	Fill Or Kill (FOK)	6	Good Till Date (GTD) - Standard Orders only
Value	Description																	
0	Day (GFD)																	
1	Good Till Cancelled (GTC) - Standard Orders only																	
3	Immediate or Cancel (IOC)																	
4	Fill Or Kill (FOK)																	
6	Good Till Date (GTD) - Standard Orders only																	
18	Execlnst	N	1	164	unsigned int	Instructions for order handling. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Persistent Order (FIX value 'H')</td> </tr> <tr> <td>2</td> <td>Non-persistent Order (FIX value 'Q')</td> </tr> <tr> <td>5</td> <td>Persistent and Book or Cancel order (FIX value 'H 6')</td> </tr> <tr> <td>6</td> <td>Non-persistent and Book or Cancel order (FIX value 'Q 6')</td> </tr> </tbody> </table>	Value	Description	1	Persistent Order (FIX value 'H')	2	Non-persistent Order (FIX value 'Q')	5	Persistent and Book or Cancel order (FIX value 'H 6')	6	Non-persistent and Book or Cancel order (FIX value 'Q 6')		
Value	Description																	
1	Persistent Order (FIX value 'H')																	
2	Non-persistent Order (FIX value 'Q')																	
5	Persistent and Book or Cancel order (FIX value 'H 6')																	
6	Non-persistent and Book or Cancel order (FIX value 'Q 6')																	
1823	Triggered	N	1	165	unsigned int	<table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Not Triggered</td> </tr> <tr> <td>1</td> <td>Triggered Stop</td> </tr> <tr> <td>2</td> <td>Triggered OCO</td> </tr> </tbody> </table>	Value	Description	0	Not Triggered	1	Triggered Stop	2	Triggered OCO				
Value	Description																	
0	Not Triggered																	
1	Triggered Stop																	
2	Triggered OCO																	
625	TradingSessionSubID	N	1	166	unsigned int	Marks a certain order to be included in a defined auction. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>Opening or opening auction</td> </tr> <tr> <td>4</td> <td>Closing or closing auction</td> </tr> <tr> <td>8</td> <td>Any auction</td> </tr> </tbody> </table>	Value	Description	2	Opening or opening auction	4	Closing or closing auction	8	Any auction				
Value	Description																	
2	Opening or opening auction																	
4	Closing or closing auction																	
8	Any auction																	
28703	ApplSeqIndicator	N	1	167	unsigned int	Indicates if the order is a Lean Order or a Standard Order. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>No Recovery Required</td> </tr> <tr> <td>1</td> <td>Recovery Required</td> </tr> </tbody> </table>	Value	Description	0	No Recovery Required	1	Recovery Required						
Value	Description																	
0	No Recovery Required																	
1	Recovery Required																	

Tag	Field Name	Req'd	Len	Ofs	Data Type	Description								
2964	SelfMatchPrevention-Instruction	N	1	168	unsigned int	<p>Indicate the instruction for SMP. If MatchInstCrossID (28744) is set then the default value for SelfMatchPreventionInstruction is 100(Reject cross on business unit level)</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>100</td> <td>Reject cross on business unit level</td> </tr> <tr> <td>101</td> <td>Reject cross on market level</td> </tr> </tbody> </table>	Value	Description	100	Reject cross on business unit level	101	Reject cross on market level		
Value	Description													
100	Reject cross on business unit level													
101	Reject cross on market level													
31625	CrossMatchInstruction	N	1	169	unsigned int	<p>Indicate the instruction for SMP. Applicable only when MatchInstCrossID (28744) is set. When CrossMatchInstruction is not set the default value is defined by the exchange</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Cancel incoming order</td> </tr> <tr> <td>2</td> <td>Cancel resting order</td> </tr> <tr> <td>3</td> <td>Reduce/Cancel both incoming and resting order</td> </tr> </tbody> </table>	Value	Description	1	Cancel incoming order	2	Cancel resting order	3	Reduce/Cancel both incoming and resting order
Value	Description													
1	Cancel incoming order													
2	Cancel resting order													
3	Reduce/Cancel both incoming and resting order													
21222	PartyIdInvestment-DecisionMaker-Qualifier	N	1	170	unsigned int	<p>MiFID field: Qualifier for field PartyIdInvestmentDecisionMaker. Members/participants will have the possibility to specify an Investment qualifier value to distinguish between natural persons and Algos.</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>22</td> <td>Algo</td> </tr> <tr> <td>24</td> <td>Human/Natural person</td> </tr> </tbody> </table>	Value	Description	22	Algo	24	Human/Natural person		
Value	Description													
22	Algo													
24	Human/Natural person													
25124	ExecutingTrader-Qualifier	N	1	171	unsigned int	<p>MiFID field: Qualifier for field ExecutingTrader. It is required to distinguish between natural persons and Algos.</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>22</td> <td>Algo</td> </tr> <tr> <td>24</td> <td>Human/Natural person</td> </tr> </tbody> </table>	Value	Description	22	Algo	24	Human/Natural person		
Value	Description													
22	Algo													
24	Human/Natural person													
1362	NoFills	Y	1	172	Counter	Specifies the number of partial fills included in this Execution Report.								

Tag	Field Name	Req'd	Len	Ofs	Data Type	Description																
2523	CrossedIndicator	Y	1	173	unsigned int	Indicates SMP involvement. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>No crossing (Order not subject to crossing)</td> </tr> <tr> <td>1</td> <td>Cross rejected (Order subject to crossing and match prevented)</td> </tr> </tbody> </table>	Value	Description	0	No crossing (Order not subject to crossing)	1	Cross rejected (Order subject to crossing and match prevented)										
Value	Description																					
0	No crossing (Order not subject to crossing)																					
1	Cross rejected (Order subject to crossing and match prevented)																					
1031	CustOrderHandling-Inst	N	1	174	Fixed String	Customer Order Handling Instruction <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>W</td> <td>Desk</td> </tr> <tr> <td>Y</td> <td>Electronic</td> </tr> <tr> <td>C</td> <td>Vendor-provided Platform billed by Executing Broker</td> </tr> <tr> <td>G</td> <td>Sponsored Access via Exchange API or FIX provided by Executing Broker</td> </tr> <tr> <td>H</td> <td>Premium Algorithmic Trading Provider billed by Executing Broker</td> </tr> <tr> <td>D</td> <td>Other, including Other-provided Screen</td> </tr> <tr> <td>*</td> <td>More values</td> </tr> </tbody> </table>	Value	Description	W	Desk	Y	Electronic	C	Vendor-provided Platform billed by Executing Broker	G	Sponsored Access via Exchange API or FIX provided by Executing Broker	H	Premium Algorithmic Trading Provider billed by Executing Broker	D	Other, including Other-provided Screen	*	More values
Value	Description																					
W	Desk																					
Y	Electronic																					
C	Vendor-provided Platform billed by Executing Broker																					
G	Sponsored Access via Exchange API or FIX provided by Executing Broker																					
H	Premium Algorithmic Trading Provider billed by Executing Broker																					
D	Other, including Other-provided Screen																					
*	More values																					
1724	OrderOrigination	N	1	175	unsigned int	MiFID field: Field to indicate order received from a direct access or sponsored access customer <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>5</td> <td>Order received from a direct access customer</td> </tr> <tr> <td>105</td> <td>Order received from a sponsored access customer</td> </tr> </tbody> </table>	Value	Description	5	Order received from a direct access customer	105	Order received from a sponsored access customer										
Value	Description																					
5	Order received from a direct access customer																					
105	Order received from a sponsored access customer																					
25007	FreeText1	N	12	176	Fixed String	First free-format text field for trader specific or customer-related comments Valid characters: \x20, \x23-\x25, \x28-\x2A, \x2C-\x3B, \x3F, \x41-\x5F, \x61-\x7B, \x7D, \x7E																

Tag	Field Name	Req'd	Len	Ofs	Data Type	Description
25008	FreeText2	N	12	188	Fixed String	Second free-format text field for trader specific or customer-related comments Valid characters: \x20, \x23-\x25, \x28-\x2A, \x2C-\x3B, \x3F, \x41-\x5F, \x61-\x7B, \x7D, \x7E
25009	FreeText3	N	12	200	Fixed String	Third free-format text field for trader specific or customer-related comments Valid characters: \x20, \x23-\x25, \x28-\x2A, \x2C-\x3B, \x3F, \x41-\x5F, \x61-\x7B, \x7D, \x7E
30011	FIXCIClientID	N	20	212	Fixed String	User defined client order ID for orders entered by the T7 FIX interface Valid characters: \x20-\x7E
30041	FIXOrigCIClientID	N	20	232	Fixed String	FIXCIClientID (30011) of the last successfully processed task (request) referring to the specific order. Valid characters: \x20-\x7E
25241	PartyEndClient-Identification	N	20	252	Fixed String	End client identifier. Valid characters: A-Z, 0-9, \x20, \x5F
<i><FillsGrp> Cardinality: 0-100, Record counter: NoFills</i>						
1364	>FillPx	Y	8	272	PriceType	Price of Fill
1365	>FillQty	Y	8	280	Qty	Quantity of Fill.
28708	>FillMatchID	Y	4	288	unsigned int	Identifier assigned to a trade by a matching system.
1363	>FillExecID	Y	4	292	signed int	Private identifier of an order match step event, which can be reconciled with the field SideTradeID (1506) in the Trade Notification.

6.3 Order (Mass) Cancellation Notification

This message informs about order cancellation (single ore multiple).

Tag	Field Name	Req'd	Len	Ofs	Data Type	Description						
<i><MessageHeaderOut></i>												
9	BodyLen	Y	4	0	unsigned int	Number of bytes for the message, including this field.						
28500	TemplatID	Y	2	4	unsigned int	Unique identifier for a T7 EDCl message layout. Value: 10902 (Order-MassActionReport, MsgType = BZ)						
39020	Pad2	U	2	6	Fixed String	not used						
<i><RBCHeader></i>												
52	SendingTime	Y	8	8	UTCTimestamp	Outgoing timestamp; filled always by the gateway.						
20059	PartyIDExecutingUnit	N	4	16	unsigned int	Business Unit ID.						
5948	PartitionID	Y	2	20	unsigned int	Grouping of T7 products.						
1180	ApplID	Y	1	22	unsigned int	Identifier for an EDCl data stream. <table border="1" data-bbox="991 1014 1409 1099"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>12</td> <td>OrderDropCopy Data</td> </tr> </tbody> </table>	Value	Description	12	OrderDropCopy Data		
Value	Description											
12	OrderDropCopy Data											
893	LastFragment	Y	1	23	unsigned int	Indicates whether this message is the last fragment (part) of a sequence of messages belonging to one dedicated transaction. <table border="1" data-bbox="991 1296 1409 1420"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Not Last Message</td> </tr> <tr> <td>1</td> <td>Last Message</td> </tr> </tbody> </table>	Value	Description	0	Not Last Message	1	Last Message
Value	Description											
0	Not Last Message											
1	Last Message											
<i><MessageBody></i>												
17	ExecID	Y	8	24	UTCTimestamp	Transaction timestamp.						
1300	MarketSegmentID	Y	4	32	signed int	Product identifier.						
1370	NoAffectedOrders	Y	2	36	Counter	Number of AffectedOrders repeating group instances.						
39020	Pad2	U	2	38	Fixed String	not used						
<i><AffectedOrdGrp> Cardinality: 0-500, Record counter: NoAffectedOrders</i>												
535	>AffectedOrderID	Y	8	40	unsigned int	Exchange Order ID of an order affected by a (mass) cancel request.						
30535	>AffectedClOrdID	N	8	48	unsigned int	Client Order ID of an order affected by a single or mass cancel request.						
1824	>AffectedOrigClOrdID	N	8	56	unsigned int	Original Client Order ID of an order affected by a single or mass cancel request.						
48	>SecurityID	Y	8	64	signed int	Instrument identifier.						
20055	>PartyIDSessionID	Y	4	72	unsigned int	Owning Session ID						

Tag	Field Name	Req'd	Len	Ofs	Data Type	Description								
20012	>PartyIDExecuting- Trader	Y	4	76	unsigned int	Owning User ID.								
39	>OrdStatus	Y	1	80	char	Conveys the current status of an order. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>Cancelled</td> </tr> <tr> <td>6</td> <td>Pending Cancel (i.e. result of Order Cancel Request)</td> </tr> <tr> <td>9</td> <td>Suspended</td> </tr> </tbody> </table>	Value	Description	4	Cancelled	6	Pending Cancel (i.e. result of Order Cancel Request)	9	Suspended
Value	Description													
4	Cancelled													
6	Pending Cancel (i.e. result of Order Cancel Request)													
9	Suspended													
150	>ExecType	Y	1	81	char	The reason why this message was generated. <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>Cancelled</td> </tr> <tr> <td>6</td> <td>Pending Cancel (e.g. result of Order Cancel Request)</td> </tr> </tbody> </table>	Value	Description	4	Cancelled	6	Pending Cancel (e.g. result of Order Cancel Request)		
Value	Description													
4	Cancelled													
6	Pending Cancel (e.g. result of Order Cancel Request)													
30536	>AffectedFIXCIClientID	N	20	82	Fixed String	FIX Client Order ID of an order affected by a single or mass cancel request. Valid characters: \x20-\x7E								
31824	>AffectedFIXOrigClientID	N	20	102	Fixed String	Original FIX Client Order ID of an order affected by a single or mass cancel request. Valid characters: \x20-\x7E								
39060	>Pad6	U	6	122	Fixed String	not used								

A Appendix

A.1 XML Interface Description

The EDCI interface description is also available as a machine readable XML file. The structure of the XML is described by an XML schema file.

The XML file consists of the following parts and definitions:

Definitions	Description
MessageFlow	A "MessageFlow" is a flow diagram describing the system behavior from the user's point of view. The MessageFlow is represented as a tree of nodes.

Definitions	Description
ApplicationMessage	An "ApplicationMessage" represents a top-level structure which describes a message transmitted between the participant and user and the exchange. In contrast to the "Structure" definition, all components and repeating groups are uncollapsed. Valid values and description of fields are provided in the application scope.
Structure	A "Structure" is either the definition of a top-level-structure ("Message") or of a (repeated) sub-structure. Components and repeating groups are provided in a collapsed representation. All fields show the complete list of valid values.
DataType	A "DataType" is the technical and functional description of a data field. Each "DataType" is part of a (multi-level) inheritance tree based on the following "rootTypes": String , float , and int .

For a detailed description of all available XML elements and attributes please refer to the XML schema file.

B Change Log

B.1 T7 Release 14.1 – Version 1 (EDCI 14.1-D0001)

Changes to the T7 Release 14.0 – Version 1:

- added fields *MatchInstCrossID*, *SelfMatchPreventionInstruction*, *CrossMatchInstruction*, *OrderOrigination* to message [Extended Order Information](#) (10901)
- added valid value *Password_Timestamp_Not_In_Grace_Period(228)* to field *SessionRejectReason* in message [Reject](#) (10010)